

Albumin Details <small>To be completed from the product label upon receipt</small>					Patient Details <small>To be completed when product is received or issued</small>		Issue No.	Product Fate <small>To be completed anytime product is REMOVED from or RETURNED to fridge.</small>								
Date		Manufacturer			Surname			Date	Time	Ward	Fate Code (Circle)			Sign and Print Name		
Time		Expiry			First Name		1				RTS	RTF	DAM	EXP	IS	
Path Lab (Circle)	SA Path	Abbott	AustClinLabs	Clinpath	DOB							RTS	RTF	DAM	EXP	IS
Batch Number			Conc.	4%	20%	MRN	2				RTS	RTF	DAM	EXP	IS	
Print and Sign	Left Blank Intentionally											RTS	RTF	DAM	EXP	IS
Date		Manufacturer			Surname		1	Date	Time	Ward	Fate Code (Circle)			Sign and Print Name		
Time		Expiry			First Name							RTS	RTF	DAM	EXP	IS
Path Lab (Circle)	SA Path	Abbott	AustClinLabs	Clinpath	DOB		2				RTS	RTF	DAM	EXP	IS	
Batch Number			Conc.	4%	20%	MRN						RTS	RTF	DAM	EXP	IS
Print and Sign	Left Blank Intentionally										RTS	RTF	DAM	EXP	IS	
Date		Manufacturer			Surname		1	Date	Time	Ward	Fate Code (Circle)			Sign and Print Name		
Time		Expiry			First Name							RTS	RTF	DAM	EXP	IS
Path Lab (Circle)	SA Path	Abbott	AustClinLabs	Clinpath	DOB		2				RTS	RTF	DAM	EXP	IS	
Batch Number			Conc.	4%	20%	MRN						RTS	RTF	DAM	EXP	IS
Print and Sign	Left Blank Intentionally										RTS	RTF	DAM	EXP	IS	
Date		Manufacturer			Surname		1	Date	Time	Ward	Fate Code (Circle)			Sign and Print Name		
Time		Expiry			First Name							RTS	RTF	DAM	EXP	IS
Path Lab (Circle)	SA Path	Abbott	AustClinLabs	Clinpath	DOB		2				RTS	RTF	DAM	EXP	IS	
Batch Number			Conc.	4%	20%	MRN						RTS	RTF	DAM	EXP	IS
Print and Sign	Left Blank Intentionally										RTS	RTF	DAM	EXP	IS	
Problem Log: Record all problems, on reverse of this page. Must include dates, corrective actions and incident number. Problem logged () tick, see details over page.							Fate Code: Ward: Enter ward name / number, RTS: Return to Supplier, RTF: Return to Fridge, DAM: Damaged, EXP: Expired, IS: Incorrect Storage									
Albumin 20% in 10mL MUST be stored 2-8°C all other Albumin Solutions must be stored below 30°C. Do not freeze. If product is no longer required please contact your Transfusion Service Laboratory.							Hospital Quality Delegate Review									
<h2 style="margin: 0;">Albumin Solutions</h2> <p style="margin: 0; font-size: small;">South Australian Public Hospitals Retention Disposal Schedule require this form to be archived and stored for 20 years by the health unit</p>							Site Name:									
							Print Name:									
							Sign:			Designation:						
							Contact No:									