


# Clinician information around COVID-19 Vaccination and referral guidelines for South Australia COVID-19 Specialist Immunisation Clinic (SACSIC)

The purpose of this document is to provide clinicians and vaccine providers with additional information for when it is appropriate to refer patients into SACSIC vs when patients can receive vaccines in clinic – **last updated 28 May 2021**




## Pathways for referral into South Australia COVID-19 Specialist Immunisation Clinic (SACSIC)

1. GP referrals based upon 'Clinician information'
2. GP referrals following adverse event from immunisation
3. Vaccine hub referrals based upon review of patient prior to vaccination and following discussion with MO on site or SACSIC MO
4. Vaccine hub referrals following adverse event from immunisation

## Formalised pathway for referral into South Australia COVID-19 Specialist Immunisation Clinic (SACSIC) directly from mass vaccination hub

1. Criteria for referral identified prior to vaccination or following adverse effect from immunisation (AEFI)
2. Vaccine hub discuss with MO onsite or SACSIC MO
3. If appropriate, hub will then need to fill out SACSIC referral form and be emailed to [Health.RAHCOVIDVaccineAdverseEffects@sa.gov.au](mailto:Health.RAHCOVIDVaccineAdverseEffects@sa.gov.au)

## South Australia COVID-19 Specialist Immunisation Clinic (SACSIC) response following referrals



\* Please note that this appointment is for assessment only and does not necessarily guarantee vaccination in the clinic.