Blood Fridge Sign or Flyer [Template for customising with local transition date]

Beriplex® has replaced Prothrombinex®

Commencing [Insert local transition date/timeframe]

- > Australia's current prothrombin complex concentrate (PCC) PROTHROMBINEX®-VF (3-factor PCC: FII, IX, X) has been discontinued.
- > It has been replaced by BERIPLEX® (4-factor PCC: FII, VII, IX, X) which contains all of the vitamin K dependent clotting factors.
- For dosing and infusion rate guidance refer to the SA BERIPLEX® Quick Reference Guide (attached to BERIPLEX® vials or scan the QR code below).



PROTHOMBINEX-VF 500IU

REPLACEMENT PRODUCT BERIPLEX P/N 500IU

- > BERIPLEX® P/N (international plasma) will be available initially (for approximately 6 months) and then be replaced with BERIPLEX® AU (Australian plasma).
- > Ensure the Blood Fridge Register is completed when removing the product from the blood fridge and document the batch number on the paper blood administration record or in the Electronic Medical Record (EMR) as per local workflows.

More information: Contact your local hospital Blood Bank / Transfusion Laboratory or for haematology advice, consult on-call haematologist / critical bleeding consultant (or as per local processes)



- Scan for SA's

 <u>BERIPLEX® Quick</u>

 Reference Guide
- Has interim dosing & infusion rate guidance for use in Anticoagulation
 Reversal when indicated.



- Scan for Mix2Vial video for BERIPLEX P/N. International video, use CSL Behring's Australian resources when available.
- Mix2Vial is same as Prothrombinex®-VF.



- Scan for <u>CSL Behring's</u>
 <u>Australian website</u>
 Resource Hub for Health
 Professionals.
- From mid-June 2024,
 this will have BERIPLEX®
 Mix2Vial Animation &
 Reconstitution Card.



Developed by: SA Health / SA Pathology for SA Beriplex transition **Customised** by: [INSERT NAME OF ORGANISATION & DATE]

For a word version of this template mail:HealthBloodOrganandTissuePrograms@sa.gov.au www.sahealth.sa.gov.au



